

## subtle - Feature #110

### Add an option to disable 'pointer follows gravity'

08/02/2009 06:35 PM - Ville Kovács

<b>Status:</b>	Fixed	<b>Start date:</b>	08/02/2009
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	Christoph Kappel	<b>% Done:</b>	100%
<b>Category:</b>	Feature	<b>Estimated time:</b>	2.00 hours
<b>Target version:</b>	Xi		
<b>Description</b> If you use unclutter to hide the mouse pointer and switch between windows the pointer appears on the center of the window and then disappears again. <a href="http://www.ibiblio.org/pub/X11/contrib/utilities/unclutter-8.README">http://www.ibiblio.org/pub/X11/contrib/utilities/unclutter-8.README</a>			

#### History

##### #1 - 08/05/2009 12:08 PM - Christoph Kappel

- Category set to Feature
- Target version set to 1

I tested this and it isn't so easy to archive. Just disabling the pointer movement will not work, my suggestions is adding an option to hide the cursor like with a grab. Hiding will mean I just replace the current cursor with an empty cursor and vice versa. Will also reduce the need of tools like unclutter.

What do you think about this way?

##### #2 - 03/14/2011 09:10 PM - Christoph Kappel

- Status changed from Unconfirmed to Rejected

##### #3 - 11/18/2011 10:32 PM - Christoph Kappel

- Status changed from Rejected to Unconfirmed
- Target version set to Xi

##### #4 - 11/18/2011 10:57 PM - Christoph Kappel

- Status changed from Unconfirmed to Fixed
- % Done changed from 0 to 100

Applied in changeset [007340c8917c](#).

##### #5 - 11/18/2011 10:58 PM - Christoph Kappel

I changed my mind about that, pointer doesn't follow e.g. [gravity](#) changes anymore, when click-to-focus is enabled.