subtle - Feature #162

Dynamic views

12/19/2010 01:37 PM - Jonathan Dahan

Status: Fixed Start date: 12/19/2010

Priority: Urgent Due date:

Assignee: Christoph Kappel % Done: 100%
Category: Feature Estimated time: 0.00 hour

Target version:

Description

Add optional property dynamic for views. The documentation would look something like the following

```
# == Views
#
# Views are the virtual desktops in subtle, they show all windows that share a
# tag with them. Windows that have no tag will be visible on the default view
# which is the view with the default tag or the first defined view when this
# tag isn't set.
# === Properties
#
# Each view can behave differently with respect to tagged clients that it matches
 [*dynamic*] Defaults to false, if set true this view will be hidden when there
#
                are no clients with a matching tag
 [*tags*] Match tags using regular expressions, just like when tagging clients
 === Link
#
# http://subforge.org/wiki/subtle/Tagging
view '0'
view 'dev' do
 tags 'terms|editor'
 dynamic true
end
view 'read', 'pdf|browser'
view 'gimp', 'gimp_.*'
view 'down', 'torrent'
```

History

#1 - 12/19/2010 04:15 PM - Christoph Kappel

- Assignee set to Non member users

#2 - 12/19/2010 04:48 PM - Christoph Kappel

- % Done changed from 0 to 100
- Status changed from Unconfirmed to Fixed

Applied in changeset r2428.

05/20/2024 1/1